



Valid for model year 2026

The variation of the system weight is caused by the weight restrictions of the installed components.

| Product line                 | Type                            | Category | bike weight | max. Rider weight | max. carrier load // max. trailer vertical load | max. trailer load | maximum system weight |
|------------------------------|---------------------------------|----------|-------------|-------------------|-------------------------------------------------|-------------------|-----------------------|
| <b>Hybrid Kids</b>           | Acid 240 Hybrid Rookie Pro      | 2Y       | 17,6 kg     | 50 kg             | 10 kg // -                                      | -                 | 80 kg                 |
|                              | Acid 240 Hybrid Rookie SLX      | 2Y       | 18,2 kg     | 50 kg             | 10 kg // -                                      | -                 | 80 kg                 |
| <b>Hybrid Hardtail</b>       | Reaction Hybrid Performance     | 2        | 24,9 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Reaction Hybrid Performance FE  | 2        | 26,7 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Reaction Hybrid ONE             | 2        | 25,9 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Reaction Hybrid Pro             | 2        | 25,6 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Reaction Hybrid Pro FE          | 2        | 27,5 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Reaction Hybrid Race            | 2        | 24,9 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Reaction Hybrid Race FE         | 2        | 26,7 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Reaction Hybrid SLX             | 2        | 24,3 kg     | 125 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 160 kg                |
|                              | Reaction Hybrid SLX FE          | 2        | 26,2 kg     | 125 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 160 kg                |
|                              | Reaction Hybrid SLT             | 2        | 24,7 kg     | 125 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 160 kg                |
| <b>Hybrid Fullsuspension</b> | Stereo Hybrid ONE22 Pro         | 3        | 26,7 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Stereo Hybrid ONE22 Pro FE      | 3        | 28,0 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Stereo Hybrid ONE22 Race        | 3        | 26,8 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Stereo Hybrid ONE22 Race FE     | 2        | 28,6 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Stereo Hybrid ONE22 SLX         | 3        | 26,7 kg     | 125 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 160 kg                |
|                              | Stereo Hybrid ONE22 SLX FE      | 2        | 28,4 kg     | 125 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 160 kg                |
|                              | Stereo Hybrid ONE22 SLT         | 3        | 26,7 kg     | 125 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 160 kg                |
|                              | Stereo Hybrid ONE44 Pro         | 3        | 26,6 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Stereo Hybrid ONE44 Pro FE      | 2        | 28,4 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Stereo Hybrid ONE44 EX          | 3        | 26,8 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Stereo Hybrid ONE44 EXC         | 3        | 26,8 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Stereo Hybrid ONE44 EXC FE      | 2        | 28,4 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                        | 60 kg             | 150 kg                |
|                              | Stereo Hybrid ONE44 HPC Race    | 4        | 24,2 kg     | 125 kg            | - // max. 8 kg                                  | 60 kg             | 160 kg                |
|                              | Stereo Hybrid ONE44 HPC SLX     | 4        | 24,7 kg     | 125 kg            | - // max. 8 kg                                  | 60 kg             | 160 kg                |
|                              | Stereo Hybrid ONE44 HPC SLX Evo | 4        | 24,9 kg     | 125 kg            | - // max. 8 kg                                  | 60 kg             | 160 kg                |
|                              | Stereo Hybrid ONE44 HPC TM      | 4        | 24,2 kg     | 125 kg            | - // max. 8 kg                                  | 60 kg             | 160 kg                |
|                              | Stereo Hybrid ONE44 HPC AT      | 4        | 24,3 kg     | 125 kg            | - // max. 8 kg                                  | 60 kg             | 160 kg                |
|                              | Stereo Hybrid ONE44 HPC SLT     | 4        | 23,4 kg     | 125 kg            | - // max. 8 kg                                  | 60 kg             | 160 kg                |
|                              | Stereo Hybrid ONE77 HPC Race    | 4        | 25,4 kg     | 120 kg            | - // max. 8 kg                                  | 60 kg             | 150 kg                |
|                              | Stereo Hybrid ONE77 HPC SLX     | 4        | 24,7 kg     | 125 kg            | - // max. 8 kg                                  | 60 kg             | 160 kg                |
|                              | Stereo Hybrid ONE77 HPC TM      | 4        | 24,6 kg     | 125 kg            | - // max. 8 kg                                  | 60 kg             | 160 kg                |
|                              | Stereo Hybrid ONE77 HPC AT      | 4        | 24,8 kg     | 125 kg            | - // max. 8 kg                                  | 60 kg             | 160 kg                |
|                              | Stereo Hybrid ONE77 HPC SLT     | 4        | 23,8 kg     | 125 kg            | - // max. 8 kg                                  | 60 kg             | 160 kg                |
|                              | AMS Hybrid ONE44 C62 Pro        | 4        | 18,1 kg     | 110 kg            | -                                               | -                 | 135 kg                |
|                              | AMS Hybrid ONE44 C62 Race       | 4        | 19,8 kg     | 110 kg            | -                                               | -                 | 135 kg                |
|                              | AMS Hybrid ONE44 C68X SLX       | 4        | 17,5 kg     | 110 kg            | -                                               | -                 | 135 kg                |
|                              | AMS Hybrid ONE44 C68X TM        | 4        | 18,8 kg     | 110 kg            | -                                               | -                 | 135 kg                |
|                              | AMS Hybrid ONE44 C68X SLT       | 4        | 16,9 kg     | 110 kg            | -                                               | -                 | 135 kg                |
|                              | AMS Hybrid ONE44 C68X SUPERTM   | 4        | 18,7 kg     | 110 kg            | -                                               | -                 | 135 kg                |
|                              | AMS Hybrid 177 C62 TM           | 4        | 21,9 kg     | 110 kg            | -                                               | -                 | 135 kg                |
|                              | AMS Hybrid 177 C62 AT           | 4        | 21,4 kg     | 110 kg            | -                                               | -                 | 135 kg                |
|                              | AMS Hybrid 177 C62 SLT          | 4        | 21,7 kg     | 110 kg            | -                                               | -                 | 135 kg                |
| <b>Hybrid Gravel</b>         | Nuroad Hybrid C62 Race          | 2        | 14,3 kg     | 100 kg            | 25 kg* // -                                     | -                 | 130 kg                |
|                              | Nuroad Hybrid C62 Race FE       | 2        | 15,7 kg     | 100 kg            | 25 kg* // -                                     | -                 | 130 kg                |
|                              | Nuroad Hybrid C62 EXC           | 2        | 14,1 kg     | 100 kg            | 25 kg* // -                                     | -                 | 130 kg                |
|                              | Nuroad Hybrid C62 EXC FE        | 2        | 15,6 kg     | 100 kg            | 25 kg* // -                                     | -                 | 130 kg                |
|                              | Nuroad Hybrid C62 SLX           | 2        | 14,5 kg     | 100 kg            | 25 kg* // -                                     | -                 | 130 kg                |
|                              | Nuroad Hybrid C62 SLX FE        | 2        | 14,9 kg     | 100 kg            | 25 kg* // -                                     | -                 | 130 kg                |
|                              | Nuroad Hybrid C62 SLT           | 2        | 13,1 kg     | 100 kg            | 25 kg* // -                                     | -                 | 130 kg                |
|                              | Nulane Hybrid C62 Race          | 2        | 14,5 kg     | 100 kg            | 25 kg* // -                                     | -                 | 130 kg                |
|                              | Nulane Hybrid C62 Race FE       | 2        | 16,1 kg     | 100 kg            | 25 kg* // -                                     | -                 | 130 kg                |
|                              | Nulane Hybrid C62 SLX           | 2        | 14,0 kg     | 100 kg            | 25 kg* // -                                     | -                 | 130 kg                |
|                              | Nulane Hybrid C62 SLX FE        | 2        | 15,4 kg     | 100 kg            | 25 kg* // -                                     | -                 | 130 kg                |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | The bike weight contains the weight of the bike (in medium frame size) incl. attached accessories.<br>Additional luggage which is not placed on the carrier is also part of the bike weight.<br>For models that are available with different frame variants (diamond, trapeze, easy-entry), the specified value refers to the diamond frame variant.                                                                                                                   |
|  | The rider weight describes the weight of the rider with their equipment.                                                                                                                                                                                                                                                                                                                                                                                               |
|  | The maximum carrier load applies only to bicycles where a carrier has been fitted by a certified dealer. The maximum carrier load is further limited by the use of a trailer.<br>*1 Lowrider Payload max. 10 kg, evenly distributed (left/right). The load on the lowrider has no influence on the maximum luggage carrier load and must be considered separately.<br>*2 The Longtail Rear rack may be loaded from above with max. 40 kg and with max. 10 kg per side. |
|  | The vertical load describes the load acting on the rear axle of the bicycle. The maximum vertical load is 8 kg.<br>The permitted load on the carrier is further limited by the vertical load. Accordingly, the vertical load of the trailer is subtracted from the maximum load of the carrier.                                                                                                                                                                        |
|  | 60 kg is the maximum permissible total mass of the trailer incl. load, taking into account the specifications for the maximum payload of the trailer manufacturer.<br>The vertical load of the trailer (2-8 kg) has to be subtracted from the carrier load.                                                                                                                                                                                                            |
|  | The system weight describes the maximum permitted total mass which must never be exceeded.                                                                                                                                                                                                                                                                                                                                                                             |

| Bike Category                                                                                                                                                                                                | Attention: Please note when using rear stands, mudguards, carrier and bicycle trailers the range of use of the model always changes to category 2 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Commuting and recreational riding under moderate effort                                                                   |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Leisure riding and trekking under moderate effort                                                                         |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Sport and competition riding with moderate technical demands of the trails                                                |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Sport and competition riding with very challenging technical demands of the trails                                        |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Extreme sports                                                                                                            |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Sport and competition riding with high exertion                                                                           |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Sport and competition riding with moderate technical demands of the trails                                                |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Leisure rides with moderate exertion                                                                                      |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Leisure rides with moderate exertion                                                                                      |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Leisure riding and trekking under moderate effort                                                                         |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Sport and competition riding with moderate technical demands of the trails                                                |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Sports and competition rides with very challenging technical demands of the trails                                        |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Transportation of luggage or children                                                                                     |
|                                                                                                                                                                                                              |                                                                                                                                                   |
| Here you will find further, detailed information on the bike category and the intended use.<br><a href="https://www.cube.eu/support/bike-classification">https://www.cube.eu/support/bike-classification</a> |                                                                                                                                                   |
| Manuals<br><a href="https://documents.cube.eu">documents.cube.eu</a>                                                                                                                                         |                                                                                                                                                   |



Valid for model year 2026

The variation of the system weight is caused by the weight restrictions of the installed components.

| Product line     | Type                            | Category | bike weight | max. Rider weight | max. carrier load // max. trailer vertical load      | max. trailer load | maximum system weight |
|------------------|---------------------------------|----------|-------------|-------------------|------------------------------------------------------|-------------------|-----------------------|
| Hybrid Trekking  | Nuride Hybrid Performance       | 2        | 25,6 kg     | 110 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 150 kg                |
|                  | Nuride Hybrid Pro               | 2        | 26,7 kg     | 110 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 140 kg                |
|                  | Nuride Hybrid EXC               | 2        | 26,3 kg     | 125 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 150 kg                |
|                  | Nuride Hybrid SLX               | 2        | 25,6 kg     | 125 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 160 kg                |
|                  | Nuride Hybrid SLT               | 2        | 25,6 kg     | 125 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 160 kg                |
|                  | Touring Hybrid ONE              | 2        | 26,1 kg     | 110 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 150 kg                |
|                  | Touring Hybrid Pro              | 2        | 27,4 kg     | 110 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 150 kg                |
|                  | Touring Hybrid Comfort SLX      | 2        | 27,5 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Kathmandu Hybrid ONE            | 2        | 27,5 kg     | 110 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 140 kg                |
|                  | Kathmandu Hybrid Pro            | 2        | 28,1 kg     | 110 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 140 kg                |
|                  | Kathmandu Hybrid Comfort Pro    | 2        | 28,6 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Kathmandu Hybrid EXC            | 2        | 27,5 kg     | 125 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 160 kg                |
|                  | Kathmandu Hybrid SLX            | 2        | 27,0 kg     | 125 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 160 kg                |
|                  | Kathmandu Hybrid Comfort SLX    | 2        | 28,2 kg     | 125 kg            | 25 kg // -                                           | -                 | 160 kg                |
|                  | Kathmandu Hybrid SLT            | 2        | 27,6 kg     | 125 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 160 kg                |
|                  | Kathmandu Hybrid C62 Pro        | 2        | 18,3 kg     | 110 kg            | 25 kg // -                                           | -                 | 135 kg                |
|                  | Kathmandu Hybrid C62 SLX        | 2        | 17,0 kg     | 110 kg            | 25 kg // -                                           | -                 | 135 kg                |
|                  | Kathmandu Hybrid C62 SLT        | 2        | 16,4 kg     | 110 kg            | 25 kg // -                                           | -                 | 135 kg                |
|                  | Kathmandu Hybrid ONE11 HPC Pro  | 2        | 26,9 kg     | 120 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 150 kg                |
|                  | Kathmandu Hybrid ONE11 HPC SLT  | 2        | 27,1 kg     | 125 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 160 kg                |
|                  | Kathmandu Hybrid 45             | 1        | 28,1 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Supreme Hybrid Comfort ONE      | 1        | 27,7 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Supreme Hybrid Comfort SE ONE   | 1        | 29,0 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Supreme RT Hybrid Comfort EX    | 1        | 28,0 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Supreme Hybrid Comfort Pro      | 1        | 29,9 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Supreme RT Hybrid Comfort EXC   | 1        | 29,4 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Supreme Hybrid Deluxe ONE       | 1        | 28,0 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Supreme RT Hybrid Deluxe EX     | 1        | 28,3 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Supreme Hybrid Deluxe Pro       | 1        | 28,7 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Supreme Hybrid Deluxe SLX       | 1        | 29,5 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Supreme Hybrid Deluxe SLT       | 1        | 29,5 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Supreme Hybrid ONE              | 1        | 27,1 kg     | 110 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 140 kg                |
|                  | Supreme Hybrid Pro              | 1        | 27,9 kg     | 110 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 140 kg                |
|                  | Supreme Hybrid SLX              | 1        | 27,9 kg     | 110 kg            | 25 kg // inkl. max. 8 kg                             | 60 kg             | 150 kg                |
|                  | Aruba Hybrid                    | 1        | 27,6 kg     | 110 kg            | 25 kg // -                                           | -                 | 140 kg                |
|                  | Editor Hybrid Pro               | 1        | 17,6 kg     | 100 kg            | 25 kg // -                                           | -                 | 135 kg                |
|                  | Editor Hybrid Pro FE            | 1        | 19,1 kg     | 100 kg            | 25 kg // -                                           | -                 | 135 kg                |
|                  | Editor Hybrid SLX               | 1        | 18,0 kg     | 100 kg            | 25 kg // -                                           | -                 | 135 kg                |
|                  | Editor Hybrid SLX FE            | 1        | 19,1 kg     | 100 kg            | 25 kg // -                                           | -                 | 135 kg                |
|                  | Editor Hybrid SLT               | 1        | 17,9 kg     | 100 kg            | 25 kg // -                                           | -                 | 135 kg                |
|                  | Editor Hybrid SLT FE            | 1        | 19,3 kg     | 100 kg            | 25 kg // -                                           | -                 | 135 kg                |
|                  | Compact Hybrid                  | 1        | 23,4 kg     | 100 kg            | 12/15 kg (Front / Rear) // -                         | -                 | 142 kg                |
|                  | Compact Hybrid Comfort          | 1        | 23,8 kg     | 100 kg            | 12/15 kg (Front / Rear) // -                         | -                 | 142 kg                |
|                  | Fold Hybrid                     | 1        | 25,4 kg     | 95 kg             | 12/15 kg (Front / Rear) // -                         | -                 | 142 kg                |
|                  | Fold Hybrid Comfort             | 1        | 25,6 kg     | 95 kg             | 12/15 kg (Front / Rear) // -                         | -                 | 142 kg                |
| Hybrid Transport | Cargo Hybrid                    | 1T       | 47,0 kg     | 110 kg            | 60 / 20 kg (Cargo Box / Rear) // -                   | -                 | 200 kg                |
|                  | Cargo Hybrid Comfort Pro        | 1T       | 47,0 kg     | 110 kg            | 60 / 20 kg (Cargo Box / Rear) // -                   | -                 | 200 kg                |
|                  | Cargo Hybrid Comfort Pro Family | 1T       | 47,0 kg     | 110 kg            | 60 / 20 kg (Cargo Box / Rear) // -                   | -                 | 200 kg                |
|                  | Cargo Hybrid Comfort SLX        | 1T       | 47,0 kg     | 110 kg            | 60 / 20 kg (Cargo Box / Rear) // -                   | -                 | 200 kg                |
|                  | Trike Family Hybrid             | 1T       | 76,3 kg     | 110 kg            | 60 / 20 kg (Box / Front) // -                        | -                 | 220 kg                |
|                  | Trike Cargo Hybrid              | 1T       | 73,3 kg     | 110 kg            | 60 / 20 kg (Box / Front) // -                        | -                 | 220 kg                |
|                  | Trike Flatbed Hybrid            | 1T       | 65,0 kg     | 110 kg            | 60 / 20 kg (Box / Front) // -                        | -                 | 220 kg                |
|                  | Longtail Hybrid                 | 1T       | 34,3 kg     | 100 kg            | 20/5/60 kg <sup>2</sup> (Front / Middle / Rear) // - | -                 | 200 kg                |
|                  | Longtail Hybrid Family          | 1T       | 38,9 kg     | 100 kg            | 20/5/60 kg <sup>2</sup> (Front / Middle / Rear) // - | -                 | 200 kg                |
|                  | Longtail Hybrid Comfort         | 1T       | 35,2 kg     | 100 kg            | 20/5/60 kg <sup>2</sup> (Front / Middle / Rear) // - | -                 | 200 kg                |
|                  | Longtail Hybrid Comfort Family  | 1T       | 39,8 kg     | 100 kg            | 20/5/60 kg <sup>2</sup> (Front / Middle / Rear) // - | -                 | 200 kg                |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | The bike weight contains the weight of the bike (in medium frame size) incl. attached accessories.<br>Additional luggage which is not placed on the carrier is also part of the bike weight.<br>For models that are available with different frame variants (diamond, trapeze, easy-entry), the specified value refers to the diamond frame variant.                                                                                                                   |
|  | The rider weight describes the weight of the rider with their equipment.                                                                                                                                                                                                                                                                                                                                                                                               |
|  | The maximum carrier load applies only to bicycles where a carrier has been fitted by a certified dealer. The maximum carrier load is further limited by the use of a trailer.<br>*1 Lowrider Payload max. 10 kg, evenly distributed (left/right). The load on the lowrider has no influence on the maximum luggage carrier load and must be considered separately.<br>*2 The Longtail Rear rack may be loaded from above with max. 40 kg and with max. 10 kg per side. |
|  | The vertical load describes the load acting on the rear axle of the bicycle. The maximum vertical load is 8 kg.<br>The permitted load on the carrier is further limited by the vertical load. Accordingly, the vertical load of the trailer is subtracted from the maximum load of the carrier.                                                                                                                                                                        |
|  | 60 kg is the maximum permissible total mass of the trailer incl. load, taking into account the specifications for the maximum payload of the trailer manufacturer.<br>The vertical load of the trailer (2-8 kg) has to be subtracted from the carrier load.                                                                                                                                                                                                            |
|  | The system weight describes the maximum permitted total mass which must never be exceeded.                                                                                                                                                                                                                                                                                                                                                                             |

| Bike Category                                                                                                                                                                                                | Attention: Please note when using rear stands, mudguards, carrier and bicycle trailers the range of use of the model always changes to category 2 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Commuting and recreational riding under moderate effort                                                                   |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Leisure riding and trekking under moderate effort                                                                         |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Sport and competition riding with moderate technical demands of the trails                                                |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Sport and competition riding with very challenging technical demands of the trails                                        |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Extreme sports                                                                                                            |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Sport and competition riding with high exertion                                                                           |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Sport and competition riding with moderate technical demands of the trails                                                |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Leisure rides with moderate exertion                                                                                      |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Leisure rides with moderate exertion                                                                                      |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Leisure riding and trekking under moderate effort                                                                         |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Sport and competition riding with moderate technical demands of the trails                                                |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Sports and competition rides with very challenging technical demands of the trails                                        |
|                                                                                                                                                                                                              | <b>Intended use:</b><br>Transportation of luggage or children                                                                                     |
|                                                                                                                                                                                                              |                                                                                                                                                   |
| Here you will find further, detailed information on the bike category and the intended use.<br><a href="https://www.cube.eu/support/bike-classification">https://www.cube.eu/support/bike-classification</a> |                                                                                                                                                   |
| Manuals<br><a href="https://documents.cube.eu">documents.cube.eu</a>                                                                                                                                         |                                                                                                                                                   |

|  |  |  |  |  |  |  |  |
|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Product line                                                                    | Type                                                                            | Category                                                                        | bike weight                                                                     | max. Rider weight                                                                 | max. carrier load // max. trailer vertical load                                   | max. trailer load                                                                 | maximum system weight                                                             |
|                                                                                 | Nuride Hybrid SLT                                                               | 2                                                                               | 25 kg                                                                           | 110 kg                                                                            | 25 kg // incl. max. 8 kg                                                          | 60 kg                                                                             | 160 kg                                                                            |

### Examples system weight

