



		Valid for model year 2026					The variation of the system weight is caused by the weight restrictions of the installed components.	
Product line	Type	Category	bike weight	max. Rider weight	max. carrier load // max. trailer vertical load	max. trailer load	maximum system weight	
Hybrid Kids	Acid 240 Hybrid Rookie Pro	2Y	17,6 kg	50 kg	10 kg // -	-	80 kg	
	Acid 240 Hybrid Rookie SLX	2Y	18,2 kg	50 kg	10 kg // -	-	80 kg	
	Reaction Hybrid Performance	2	24,9 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
Hybrid Hardtail	Reaction Hybrid Performance FE	2	26,7 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Reaction Hybrid ONE	2	25,9 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Reaction Hybrid Pro	2	25,6 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Reaction Hybrid Pro FE	2	27,5 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Reaction Hybrid Race	2	24,9 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Reaction Hybrid Race FE	2	26,7 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Reaction Hybrid SLX	2	24,3 kg	125 kg	25 kg // inkl. max. 8 kg	60 kg	160 kg	
	Reaction Hybrid SLX FE	2	26,2 kg	125 kg	25 kg // inkl. max. 8 kg	60 kg	160 kg	
	Reaction Hybrid SLT	2	24,7 kg	125 kg	25 kg // inkl. max. 8 kg	60 kg	160 kg	
	Stereo Hybrid ONE22 Pro	3	26,7 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
Hybrid Fullsuspension	Stereo Hybrid ONE22 Pro FE	3	28,0 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Stereo Hybrid ONE22 Race	3	26,8 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Stereo Hybrid ONE22 Race FE	2	28,6 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Stereo Hybrid ONE22 SLX	3	26,7 kg	125 kg	25 kg // inkl. max. 8 kg	60 kg	160 kg	
	Stereo Hybrid ONE22 SLX FE	2	28,4 kg	125 kg	25 kg // inkl. max. 8 kg	60 kg	160 kg	
	Stereo Hybrid ONE22 SLT	3	26,7 kg	125 kg	25 kg // inkl. max. 8 kg	60 kg	160 kg	
	Stereo Hybrid ONE44 Pro	3	26,6 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Stereo Hybrid ONE44 Pro FE	2	28,4 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Stereo Hybrid ONE44 EX	3	26,8 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Stereo Hybrid ONE44 EXC	3	26,8 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Stereo Hybrid ONE44 EXC FE	2	28,4 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Stereo Hybrid ONE44 HPC Race	4	24,2 kg	125 kg	- // max. 8 kg	60 kg	160 kg	
	Stereo Hybrid ONE44 HPC SLX	4	24,7 kg	125 kg	- // max. 8 kg	60 kg	160 kg	
	Stereo Hybrid ONE44 HPC SLX Evo	4	24,9 kg	125 kg	- // max. 8 kg	60 kg	160 kg	
	Stereo Hybrid ONE44 HPC TM	4	24,2 kg	125 kg	- // max. 8 kg	60 kg	160 kg	
	Stereo Hybrid ONE44 HPC AT	4	24,3 kg	125 kg	- // max. 8 kg	60 kg	160 kg	
	Stereo Hybrid ONE44 HPC SLT	4	23,4 kg	125 kg	- // max. 8 kg	60 kg	160 kg	
	Stereo Hybrid ONE77 HPC Race	4	25,4 kg	120 kg	- // max. 8 kg	60 kg	150 kg	
	Stereo Hybrid ONE77 HPC SLX	4	24,7 kg	125 kg	- // max. 8 kg	60 kg	160 kg	
	Stereo Hybrid ONE77 HPC TM	4	24,6 kg	125 kg	- // max. 8 kg	60 kg	160 kg	
	Stereo Hybrid ONE77 HPC AT	4	24,8 kg	125 kg	- // max. 8 kg	60 kg	160 kg	
	Stereo Hybrid ONE77 HPC SLT	4	23,8 kg	125 kg	- // max. 8 kg	60 kg	160 kg	
	AMS Hybrid ONE44 C:62 Pro	4	18,1 kg	110 kg	-	-	135 kg	
	AMS Hybrid ONE44 C:62 Race	4	19,8 kg	110 kg	-	-	135 kg	
	AMS Hybrid ONE44 C:68X SLX	4	17,5 kg	110 kg	-	-	135 kg	
	AMS Hybrid ONE44 C:68X TM	4	18,8 kg	110 kg	-	-	135 kg	
	AMS Hybrid ONE44 C:68X SLT	4	16,9 kg	110 kg	-	-	135 kg	
	AMS Hybrid ONE44 C:68X SUPERTM	4	18,7 kg	110 kg	-	-	135 kg	
	AMS Hybrid 177 C:62 TM	4	21,9 kg	110 kg	-	-	135 kg	
	AMS Hybrid 177 C:62 AT	4	21,4 kg	110 kg	-	-	135 kg	
	AMS Hybrid 177 C:62 SLT	4	21,7 kg	110 kg	-	-	135 kg	
Hybrid Gravel	Nuroad Hybrid C:62 Race	2	14,3 kg	100 kg	25 kg* // -	-	130 kg	
	Nuroad Hybrid C:62 Race FE	2	15,7 kg	100 kg	25 kg* // -	-	130 kg	
	Nuroad Hybrid C:62 EXC	2	14,1 kg	100 kg	25 kg* // -	-	130 kg	
	Nuroad Hybrid C:62 EXC FE	2	15,6 kg	100 kg	25 kg* // -	-	130 kg	
	Nuroad Hybrid C:62 SLX	2	14,5 kg	100 kg	25 kg* // -	-	130 kg	
	Nuroad Hybrid C:62 SLX FE	2	14,9 kg	100 kg	25 kg* // -	-	130 kg	
	Nuroad Hybrid C:62 SLT	2	13,1 kg	100 kg	25 kg* // -	-	130 kg	
	Nulane Hybrid C:62 Race	2	14,5 kg	100 kg	25 kg* // -	-	130 kg	
	Nulane Hybrid C:62 Race FE	2	16,1 kg	100 kg	25 kg* // -	-	130 kg	
	Nulane Hybrid C:62 SLX	2	14,0 kg	100 kg	25 kg* // -	-	130 kg	
	Nulane Hybrid C:62 SLX FE	2	15,4 kg	100 kg	25 kg* // -	-	130 kg	

	The bike weight contains the weight of the bike (in medium frame size) incl. attached accessories. Additional luggage which is not placed on the carrier is also part of the bike weight. For models that are available with different frame variants (diamond, trapeze, easy-entry), the specified value refers to the diamond frame variant.
	The rider weight describes the weight of the rider with their equipment.
	The maximum carrier load applies only to bicycles where a carrier has been fitted by a certified dealer. The maximum carrier load is further limited by the use of a trailer. *1 Lowrider Payload max. 10 kg, evenly distributed (left/right). The load on the lowrider has no influence on the maximum luggage carrier load and must be considered separately. *2 The Longtail Rear rack may be loaded from above with max. 40 kg and with max. 10 kg per side.
	The vertical load describes the load acting on the rear axle of the bicycle. The maximum vertical load is 8 kg. The permitted load on the carrier is further limited by the vertical load. Accordingly, the vertical load of the trailer is subtracted from the maximum load of the carrier.
	60 kg is the maximum permissible total mass of the trailer incl. load, taking into account the specifications for the maximum payload of the trailer manufacturer. The vertical load of the trailer (2-8 kg) has to be subtracted from the carrier load.
	The system weight describes the maximum permitted total mass which must never be exceeded.

Bike Category	Attention: Please note when using rear stands, mudguards, carrier and bicycle trailers the range of use of the model always changes to category 2
	Intended use: Commuting and recreational riding under moderate effort
	Intended use: Leisure riding and trekking under moderate effort
	Intended use: Sport and competition riding with moderate technical demands of the trails
	Intended use: Sport and competition riding with very challenging technical demands of the trails
	Intended use: Extreme sports
	Intended use: Sport and competition riding with high exertion
	Intended use: Sport and competition riding with moderate technical demands of the trails
	Intended use: Leisure rides with moderate exertion
	Intended use: Leisure rides with moderate exertion
	Intended use: Leisure riding and trekking under moderate effort
	Intended use: Sport and competition riding with moderate technical demands of the trails
	Intended use: Sports and competition rides with very challenging technical demands of the trails
	Intended use: Transportation of luggage or children
	
Here you will find further, detailed information on the bike category and the intended use. https://www.cube.eu/support/bike-classification	
Manuals documents.cube.eu	

		Valid for model year 2026					The variation of the system weight is caused by the weight restrictions of the installed components.	
								
Product line	Type	Category	bike weight	max. Rider weight	max. carrier load // max. trailer vertical load	max. trailer load	maximum system weight	
Hybrid Trekking	Nuride Hybrid Performance	2	25,6 kg	110 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Nuride Hybrid Pro	2	26,7 kg	110 kg	25 kg // inkl. max. 8 kg	60 kg	140 kg	
	Nuride Hybrid EXC	2	26,3 kg	110 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Nuride Hybrid SLX	2	25,6 kg	110 kg	25 kg // inkl. max. 8 kg	60 kg	160 kg	
	Nuride Hybrid SLT	2	25,6 kg	110 kg	25 kg // inkl. max. 8 kg	60 kg	160 kg	
	Touring Hybrid ONE	2	26,1 kg	110 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Touring Hybrid Pro	2	27,4 kg	110 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Touring Hybrid Comfort SLX	2	27,5 kg	110 kg	25 kg // -	-	140 kg	
	Kathmandu Hybrid ONE	2	27,5 kg	110 kg	25 kg // inkl. max. 8 kg	60 kg	140 kg	
	Kathmandu Hybrid Pro	2	28,1 kg	110 kg	25 kg // inkl. max. 8 kg	60 kg	140 kg	
	Kathmandu Hybrid Comfort Pro	2	28,6 kg	110 kg	25 kg // -	-	140 kg	
	Kathmandu Hybrid EXC	2	27,5 kg	125 kg	25 kg // inkl. max. 8 kg	60 kg	160 kg	
	Kathmandu Hybrid SLX	2	27,0 kg	125 kg	25 kg // inkl. max. 8 kg	60 kg	160 kg	
	Kathmandu Hybrid Comfort SLX	2	28,2 kg	125 kg	25 kg // -	-	160 kg	
	Kathmandu Hybrid SLT	2	27,6 kg	125 kg	25 kg // inkl. max. 8 kg	60 kg	160 kg	
	Kathmandu Hybrid C62 Pro	2	18,3 kg	110 kg	25 kg // -	-	135 kg	
	Kathmandu Hybrid C62 SLX	2	17,0 kg	110 kg	25 kg // -	-	135 kg	
	Kathmandu Hybrid C62 SLT	2	16,4 kg	110 kg	25 kg // -	-	135 kg	
	Kathmandu Hybrid ONE11 HPC Pro	2	26,9 kg	120 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Kathmandu Hybrid ONE11 HPC SLT	2	27,1 kg	125 kg	25 kg // inkl. max. 8 kg	60 kg	160 kg	
	Kathmandu Hybrid 45	1	28,1 kg	110 kg	25 kg // -	-	140 kg	
	Supreme Hybrid Comfort ONE	1	27,7 kg	110 kg	25 kg // -	-	140 kg	
	Supreme Hybrid Comfort SE ONE	1	29,0 kg	110 kg	25 kg // -	-	140 kg	
	Supreme RT Hybrid Comfort EX	1	28,0 kg	110 kg	25 kg // -	-	140 kg	
	Supreme Hybrid Comfort Pro	1	29,9 kg	110 kg	25 kg // -	-	140 kg	
	Supreme RT Hybrid Comfort EXC	1	29,4 kg	110 kg	25 kg // -	-	140 kg	
	Supreme Hybrid Deluxe ONE	1	28,0 kg	110 kg	25 kg // -	-	140 kg	
	Supreme RT Hybrid Deluxe EX	1	28,3 kg	110 kg	25 kg // -	-	140 kg	
	Supreme Hybrid Deluxe Pro	1	28,7 kg	110 kg	25 kg // -	-	140 kg	
	Supreme Hybrid Deluxe SLX	1	29,5 kg	110 kg	25 kg // -	-	140 kg	
	Supreme Hybrid Deluxe SLT	1	29,5 kg	110 kg	25 kg // -	-	140 kg	
	Supreme Hybrid ONE	1	27,1 kg	110 kg	25 kg // inkl. max. 8 kg	60 kg	140 kg	
	Supreme Hybrid Pro	1	27,9 kg	110 kg	25 kg // inkl. max. 8 kg	60 kg	140 kg	
	Supreme Hybrid SLX	1	27,9 kg	110 kg	25 kg // inkl. max. 8 kg	60 kg	150 kg	
	Aruba Hybrid	1	27,6 kg	110 kg	25 kg // -	-	140 kg	
	Editor Hybrid Pro	1	17,6 kg	100 kg	25 kg // -	-	135 kg	
	Editor Hybrid Pro FE	1	19,1 kg	100 kg	25 kg // -	-	135 kg	
	Editor Hybrid SLX	1	18,0 kg	100 kg	25 kg // -	-	135 kg	
	Editor Hybrid SLX FE	1	19,1 kg	100 kg	25 kg // -	-	135 kg	
	Editor Hybrid SLT	1	17,9 kg	100 kg	25 kg // -	-	135 kg	
	Editor Hybrid SLT FE	1	19,3 kg	100 kg	25 kg // -	-	135 kg	
	Compact Hybrid	1	23,4 kg	100 kg	12/15 kg (Front / Rear) // -	-	142 kg	
	Compact Hybrid Comfort	1	23,8 kg	100 kg	12/15 kg (Front / Rear) // -	-	142 kg	
	Fold Hybrid	1	25,4 kg	95 kg	12/15 kg (Front / Rear) // -	-	142 kg	
	Fold Hybrid Comfort	1	25,6 kg	95 kg	12/15 kg (Front / Rear) // -	-	142 kg	
Hybrid Transport	Cargo Hybrid	1T	47,0 kg	110 kg	60 / 20 kg (Cargo Box / Rear) // -	-	200 kg	
	Cargo Hybrid Comfort Pro	1T	47,0 kg	110 kg	60 / 20 kg (Cargo Box / Rear) // -	-	200 kg	
	Cargo Hybrid Comfort Pro Family	1T	47,0 kg	110 kg	60 / 20 kg (Cargo Box / Rear) // -	-	200 kg	
	Cargo Hybrid Comfort SLX	1T	47,0 kg	110 kg	60 / 20 kg (Cargo Box / Rear) // -	-	200 kg	
	Trike Family Hybrid	1T	76,3 kg	110 kg	60 / 20 kg (Box / Front) // -	-	220 kg	
	Trike Cargo Hybrid	1T	73,3 kg	110 kg	60 / 20 kg (Box / Front) // -	-	220 kg	
	Trike Flatbed Hybrid	1T	65,0 kg	110 kg	60 / 20 kg (Box / Front) // -	-	220 kg	
	Longtail Hybrid	1T	34,3 kg	100 kg	20/5/60 kg*2 (Front / Middle / Rear) // -	-	200 kg	
	Longtail Hybrid Family	1T	38,9 kg	100 kg	20/5/60 kg*2 (Front / Middle / Rear) // -	-	200 kg	
	Longtail Hybrid Comfort	1T	35,2 kg	100 kg	20/5/60 kg*2 (Front / Middle / Rear) // -	-	200 kg	
	Longtail Hybrid Comfort Family	1T	39,8 kg	100 kg	20/5/60 kg*2 (Front / Middle / Rear) // -	-	200 kg	

	The bike weight contains the weight of the bike (in medium frame size) incl. attached accessories. Additional luggage which is not placed on the carrier is also part of the bike weight. For models that are available with different frame variants (diamond, trapeze, easy-entry), the specified value refers to the diamond frame variant.
	The rider weight describes the weight of the rider with their equipment.
	The maximum carrier load applies only to bicycles where a carrier has been fitted by a certified dealer. The maximum carrier load is further limited by the use of a trailer. *1 Lowrider Payload max. 10 kg, evenly distributed (left/right). The load on the lowrider has no influence on the maximum luggage carrier load and must be considered separately. *2 The Longtail Rear rack may be loaded from above with max. 40 kg and with max. 10 kg per side.
	The vertical load describes the load acting on the rear axle of the bicycle. The maximum vertical load is 8 kg. The permitted load on the carrier is further limited by the vertical load. Accordingly, the vertical load of the trailer is subtracted from the maximum load of the carrier.
	60 kg is the maximum permissible total mass of the trailer incl. load, taking into account the specifications for the maximum payload of the trailer manufacturer. The vertical load of the trailer (2-8 kg) has to be subtracted from the carrier load.
	The system weight describes the maximum permitted total mass which must never be exceeded.

Bike Category	Attention: Please note when using rear stands, mudguards, carrier and bicycle trailers the range of use of the model always changes to category 2
	Intended use: Commuting and recreational riding under moderate effort
	Intended use: Leisure riding and trekking under moderate effort
	Intended use: Sport and competition riding with moderate technical demands of the trails
	Intended use: Sport and competition riding with very challenging technical demands of the trails
	Intended use: Extreme sports
	Intended use: Sport and competition riding with high exertion
	Intended use: Sport and competition riding with moderate technical demands of the trails
	Intended use: Leisure rides with moderate exertion
	Intended use: Leisure rides with moderate exertion
	Intended use: Leisure riding and trekking under moderate effort
	Intended use: Sport and competition riding with moderate technical demands of the trails
	Intended use: Sports and competition rides with very challenging technical demands of the trails
	Intended use: Transportation of luggage or children
	
Here you will find further, detailed information on the bike category and the intended use. https://www.cube.eu/support/bike-classification	
Manuals documents.cube.eu	

							
Product line	Type	Category	bike weight	max. Rider weight	max. carrier load // max. trailer vertical load	max. trailer load	maximum system weight
	Nuride Hybrid SLT	2	25 kg	110 kg	25 kg // incl. max. 8 kg	60 kg	160 kg

Examples system weight

